



Crafted By Nature, Perfected by Us

ANTIQUE ARCHITECTURAL FLOORING

Modern, stylish and Functional solutions
for commercial and residential spaces



CALL US: 8462092551, 9425614775, 9981213998

🌐 WEB: www.jkstones.in ✉ EMAIL: jkstoneexport@gmail.com

📍 HEAD OFFICE: 24, Bhanpur Main Road, Bhopal 📱 /jk_stone_



ABOUT US

Crafting Timeless Natural Stone Since 1992

For over three decades, **J.K. Stone Suppliers** has been a trusted name in the natural stone industry, delivering exceptional quality and craftsmanship to clients across India and around the world. Established in **1992**, we specialize in manufacturing, supplying, and exporting premium natural stone products that combine durability, elegance, and timeless appeal.

Our carefully curated collection includes Sandstone, Limestone, Cobblestones, Wall Cladding, Flooring Stones, Paving, Landscape Stones, Stone Circles, and Custom Architectural Stone Solutions, sourced from the finest quarries and processed with precision to meet international quality standards.

With exports to the USA, Canada, the UK, Europe, Australia, the Middle East, and other global markets, we proudly serve architects, designers, builders, developers, and homeowners seeking distinctive natural stone solutions for residential, commercial, hospitality, and landscape projects.

At **J.K. Stone Suppliers**, every stone reflects our commitment to quality, innovation, and customer satisfaction. From concept to completion, we work closely with our clients to transform architectural visions into enduring masterpieces.





WHY CHOOSE J.K. STONE?



Established in 1992 – Over 30 years of industry expertise



Premium-quality natural stone from trusted quarries



Advanced manufacturing and strict quality control



Custom sizes, finishes, and project-specific solutions



Reliable worldwide export and logistics



Trusted by architects, builders, landscapers, and developers



Commitment to craftsmanship, sustainability, and customer satisfaction



OUR VISION

To be a globally recognized leader in premium natural stone solutions, inspiring architectural excellence through innovation, quality, and sustainable practices.



OUR MISSION

To deliver world-class natural stone products that enhance every project with timeless beauty, exceptional quality, and reliable service while building lasting relationships with clients worldwide.



PREMIUM BRAND TAGLINE


Crafted by Nature Perfected by us

Ebony Black SANDSTONE PAVING




Rainbow SANDSTONE PAVING

Modak Pink SANDSTONE PAVINGS



RIPPON BUFF (CAMEL DUST CLASSIC AUTUMN) SANDSTONE PAVING

SANDSTONE PAVINGS



Tumbled

Honed

Sawn


**EBONY BLACK
SANDSTONE PAVING**

Sagar Black/Ebony Sandstone

Tile Details	
Edges	Handcut, M/c
Finish	Natural, Matte, Granular, Riverwash
Sizes	30×30, 30×60, 60×60, 60×90 cm (1*1 ft, 1*2 ft, 2*2 ft, 2*3 ft)
Thickness	22 mm Calibrated / 25 to 30 mm Non-Calibrated
Tiles Pattern	Patio Packs, Small Opus (French) Pattern, Big Opus (Roman) Pattern
Slab Details	
Finish	Sawn, Matte, Granular
Sizes	180×60 cm & Up
Thickness	22 mm Calibrated / 25 to 30 mm Non-Calibrated
Other Shapes	Blocks, Bricks, Steps, Pool Coping, Wall Caps, Circles
Uses	Used for outdoor and indoor for walling and flooring
Special Remarks	For Special sizes please contact



EBONY BLACK SANDSTONE PAVING



Sagar Black Sandstone (also known as Ebony or Charcoal Sandstone) is a **durable, natural sedimentary rock** quarried in the **Sagar region of Madhya Pradesh, India**. Known for its dark grey/charcoal background and subtle yellow or white undertones, it is highly sought after for both indoor and outdoor construction.

EBONY BLACK SANDSTONE



BRITISH GREY SANDSTONE PAVING

British Grey/Kandla Grey Sandstone

Tile Details	
Edges	Handcut, M/c
Finish	Natural, Matte, Granular, Riverwash
Sizes	30×30, 30×60, 60×60, 60×90 cm (1*1 ft, 1*2 ft, 2*2 ft, 2*3 ft)
Thickness	22 mm Calibrated / 25 to 30 mm Non-Calibrated
Tiles Pattern	Patio Packs, Small Opus (French) Pattern, Big Opus (Roman) Pattern
Slab Details	
Finish	Sawn, Matte, Granular
Sizes	180×60 cm & Up
Thickness	22 mm Calibrated / 25 to 30 mm Non-Calibrated
Other Shapes	Blocks, Bricks, Steps, Pool Coping, Wall Caps, Circles
Uses	Used for outdoor and indoor for walling and flooring
Special Remarks	For Special sizes please contact



KANDLA GREY SANDSTONE PAVING



Tumbled



Sawn



Honed

RIPPON BUFF SANDSTONE PAVING


Rippon Buff/Camel Dust Classic Autumn Stone

Tile Details	
Edges	Handcut, M/c
Finish	Natural, Matte, Granular, Riverwash
Sizes	30×30, 30×60, 60×60, 60×90 cm (1*1 ft, 1*2 ft, 2*2 ft, 2*3 ft)
Thickness	22 mm Calibrated / 25 to 30 mm Non-Calibrated
Tiles Pattern	Patio Packs, Small Opus (French) Pattern, Big Opus (Roman) Pattern
Slab Details	
Finish	Sawn, Matte, Granular
Sizes	180×60 cm & Up
Thickness	22 mm Calibrated / 25 to 30 mm Non-Calibrated
Other Shapes	Blocks, Bricks, Steps, Pool Coping, Wall Caps, Circles
Uses	Used for outdoor and indoor for walling and flooring
Special Remarks	For Special sizes please contact



CAMEL DUST CLASSIC AUTUMN

ROSE RED STONE



**ROSE RED
SANDSTONE PAVING**

Rose Red Stone

Tile Details	
Edges	Handcut, M/c
Finish	Natural, Matte, Granular, Riverwash
Sizes	30×30, 30×60, 60×60, 60×90 cm (1*1 ft, 1*2 ft, 2*2 ft, 2*3 ft)
Thickness	22 mm Calibrated / 25 to 30 mm Non-Calibrated
Tiles Pattern	Patio Packs, Small Opus (French) Pattern, Big Opus (Roman) Pattern
Slab Details	
Finish	Sawn, Matte, Granular
Sizes	180×60 cm & Up
Thickness	22 mm Calibrated / 25 to 30 mm Non-Calibrated
Other Shapes	Blocks, Bricks, Steps, Pool Coping, Wall Caps, Circles
Uses	Used for outdoor and indoor for walling and flooring
Special Remarks	For Special sizes please contact



ROSE RED STONE



Tumbled



Granular



Sawn

**MODAK PINK
SANDSTONE PAVING**

Raveena Brown / Modak Pink Sandstone

Tile Details	
Edges	Handcut, M/c
Finish	Natural, Matte, Granular, Riverwash
Sizes	30×30, 30×60, 60×60, 60×90 cm (1*1 ft, 1*2 ft, 2*2 ft, 2*3 ft)
Thickness	22 mm Calibrated / 25 to 30 mm Non-Calibrated
Tiles Pattern	Patio Packs, Small Opus (French) Pattern, Big Opus (Roman) Pattern
Slab Details	
Finish	Sawn, Matte, Granular
Sizes	180×60 cm & Up
Thickness	22 mm Calibrated / 25 to 30 mm Non-Calibrated
Other Shapes	Blocks, Bricks, Steps, Pool Coping, Wall Caps, Circles
Uses	Used for outdoor and indoor for walling and flooring
Special Remarks	For Special sizes please contact




RAVEENA BROWN STONE

RAJ GREEN STONE



Tumbled



Honed



Sawn

RAJ GREEN
SANDSTONE PAVING

Raj Green Sandstone Paving

Tile Details	
Edges	Handcut, M/c
Finish	Natural, Matte, Granular, Riverwash
Sizes	30×30, 30×60, 60×60, 60×90 cm (1*1 ft, 1*2 ft, 2*2 ft, 2*3 ft)
Thickness	22 mm Calibrated / 25 to 30 mm Non-Calibrated
Tiles Pattern	Patio Packs, Small Opus (French) Pattern, Big Opus (Roman) Pattern
Slab Details	
Finish	Sawn, Matte, Granular
Sizes	180×60 cm & Up
Thickness	22 mm Calibrated / 25 to 30 mm Non-Calibrated
Other Shapes	Blocks, Bricks, Steps, Pool Coping, Wall Caps, Circles
Uses	Used for outdoor and indoor for walling and flooring
Special Remarks	For Special sizes please contact



PAVING

RAJ GREEN SANDSTONE

TEAKWOOD TEAK SANDTONE



Teakwood TEAK SANDTONE PAVING

Teakwood Teak Sandtone

Tile Details	
Edges	Handcut, M/c
Finish	Natural, Matte, Granular, Riverwash
Sizes	30×30, 30×60, 60×60, 60×90 cm (1*1 ft, 1*2 ft, 2*2 ft, 2*3 ft)
Thickness	22 mm Calibrated / 25 to 30 mm Non-Calibrated
Tiles Pattern	Patio Packs, Small Opus (French) Pattern, Big Opus (Roman) Pattern
Slab Details	
Finish	Sawn, Matte, Granular
Sizes	180×60 cm & Up
Thickness	22 mm Calibrated / 25 to 30 mm Non-Calibrated
Other Shapes	Blocks, Bricks, Steps, Pool Coping, Wall Caps, Circles
Uses	Used for outdoor and indoor for walling and flooring
Special Remarks	For Special sizes please contact



TEAKWOOD TEAK SANDTONE

MINT BEIGE/GWALIOR MINT



Tumbled

Granular

Sawn

**MINT BEIGE
GWALIOR MINT
SANDSTONE PAVING**

Mint Beige/Gwalior Mint

Tile Details	
Edges	Handcut, M/c
Finish	Natural, Matte, Granular, Riverwash
Sizes	30×30, 30×60, 60×60, 60×90 cm (1*1 ft, 1*2 ft, 2*2 ft, 2*3 ft)
Thickness	22 mm Calibrated / 25 to 30 mm Non-Calibrated
Tiles Pattern	Patio Packs, Small Opus (French) Pattern, Big Opus (Roman) Pattern
Slab Details	
Finish	Sawn, Matte, Granular
Sizes	180×60 cm & Up
Thickness	22 mm Calibrated / 25 to 30 mm Non-Calibrated
Other Shapes	Blocks, Bricks, Steps, Pool Coping, Wall Caps, Circles
Uses	Used for outdoor and indoor for walling and flooring
Special Remarks	For Special sizes please contact



MINT BEIGE/GWALIOR MINT

GOLDEN BROWN SANDSTONE

PAVING



Tumbled

Granular

Riverwash

**GOLDEN BROWN
SANDSTONE PAVING**

Golden Brown Sandstone

Tile Details	
Edges	Handcut, M/c
Finish	Natural, Matte, Granular, Riverwash
Sizes	30×30, 30×60, 60×60, 60×90 cm (1*1 ft, 1*2 ft, 2*2 ft, 2*3 ft)
Thickness	22 mm Calibrated / 25 to 30 mm Non-Calibrated
Tiles Pattern	Patio Packs, Small Opus (French) Pattern, Big Opus (Roman) Pattern
Slab Details	
Finish	Sawn, Matte, Granular
Sizes	180×60 cm & Up
Thickness	22 mm Calibrated / 25 to 30 mm Non-Calibrated
Other Shapes	Blocks, Bricks, Steps, Pool Coping, Wall Caps, Circles
Uses	Sawn, Matte, Granular
Special Remarks	180×60 cm & Up



GOLDEN BROWN SANDSTONE
PAVING

EBONY BLACK SPLIT-FACE STEPS

Bold ebony-black stone steps with textured split-face risers for contemporary garden transitions.



GOLDEN ROCK-FACE STEPS

Broad golden sandstone steps with hand-dressed rock-face edges and a strong natural finish.



MINT SANDSTONE STEPS

Smooth bullnosed treads in warm mint sandstone for elegant entrances and terraces.

PALISADES & STEPS

NATURAL STONE STEPPING COLLECTION



AUTUMN BROWN

Warm beige-brown tones create relaxed pathways for gardens and courtyards.



KANDLA GREY

Subtle grey sandstone with a timeless riven texture and modern appeal.



RAINBOW

Flowing golden bands bring distinctive natural movement to circular stepping stones.




BLACK STEPPING

Deep charcoal stone creates bold, durable and contemporary pathways.

Natural Texture • Hand-Cut Character • Durable Outdoor Application

Landscaping



AUTUMN BROWN SANDSTONE

PAVING



**AUTUMN BROWN
SANDSTONE PAVING**

Autumn Brown Sandstone

Tile Details	
Edges	Handcut, M/c
Finish	Natural, Matte, Granular, Riverwash
Sizes	30×30, 30×60, 60×60, 60×90 cm (1*1 ft, 1*2 ft, 2*2 ft, 2*3 ft)
Thickness	22 mm Calibrated / 25 to 30 mm Non-Calibrated
Tiles Pattern	Patio Packs, Small Opus (French) Pattern, Big Opus (Roman) Pattern
Slab Details	
Finish	Sawn, Matte, Granular
Sizes	180×60 cm & Up
Thickness	22 mm Calibrated / 25 to 30 mm Non-Calibrated
Other Shapes	Blocks, Bricks, Steps, Pool Coping, Wall Caps, Circles
Uses	Used for outdoor and indoor for walling and flooring
Special Remarks	For Special sizes please contact



AUTUMN BROWN
SANDSTONE PAVING


RAINBOW SANDSTONE
PAVING



Matte



Sawn



Honed

RAINBOW SANDSTONE PAVING

Rainbow Sandstone

Tile Details	
Edges	Handcut, M/c
Finish	Natural, Matte, Granular, Riverwash
Sizes	30×30, 30×60, 60×60, 60×90 cm (1*1 ft, 1*2 ft, 2*2 ft, 2*3 ft)
Thickness	22 mm Calibrated / 25 to 30 mm Non-Calibrated
Tiles Pattern	Patio Packs, Small Opus (French) Pattern, Big Opus (Roman) Pattern
Slab Details	
Finish	Sawn, Matte, Granular
Sizes	180×60 cm & Up
Thickness	22 mm Calibrated / 25 to 30 mm Non-Calibrated
Other Shapes	Blocks, Bricks, Steps, Pool Coping, Wall Caps, Circles
Uses	Used for outdoor and indoor for walling and flooring
Special Remarks	For Special sizes please contact



RAINBOW SANDSTONE PAVING

Ebony
Black
Circle



British
Grey
Circle



Autumn
Brown
Circle



Golden
Yellow
Circle

CIRCLES

BASALT



Shot Blasted

Bush Hammered

Flamed

BASALT

Basalt

Tile Details	
Edges	Handcut, M/c
Finish	Shot Blasted, Bush Hammered, Flamed, Hawned
Sizes	30×30, 30×60, 60×60, 60×90 cm (1*1 ft, 1*2 ft, 2*2 ft, 2*3 ft)
Thickness	22 mm Calibrated / 25 to 30 mm Non-Calibrated
Tiles Pattern	Patio Packs, Small Opus (French) Pattern, Big Opus (Roman) Pattern
Slab Details	
Finish	Sawn, Matte, Granular
Sizes	180×60 cm & Up
Thickness	22 mm Calibrated / 25 to 30 mm Non-Calibrated
Other Shapes	Blocks, Bricks, Steps, Pool Coping, Wall Caps, Circles
Uses	Used for outdoor and indoor for walling and flooring
Special Remarks	For Special sizes please contact



BASALT

Ash Grey
LIMESTONE
PAVING



Black
LIMESTONE
PAVING

Yellow
LIMESTONE
PAVINGS



Ash Grey
LIMESTONE
PAVING
(SATIN FINISH)

LIMESTONE PAVINGS

YELLOW LIMESTONE PAVING



Matte



Leather



Honed

**YELLOW
LIMESTONE PAVING**

Yellow Limestone

Tile Details	
Edges	Handcut, M/c
Finish	Natural, Matte, Howned, Leather
Sizes	30×30, 30×60, 60×60, 60×90 cm (1*1 ft, 1*2 ft, 2*2 ft, 2*3 ft)
Thickness	22 mm Calibrated / 25 to 30 mm Non-Calibrated
Tiles Pattern	Patio Packs, Small Opus (French) Pattern, Big Opus (Roman) Pattern
Slab Details	
Finish	Natural, Matte, Howned, Leather
Sizes	180×60 cm & Up
Thickness	22 mm Calibrated / 25 to 30 mm Non-Calibrated
Other Shapes	Blocks, Bricks, Steps, Pool Coping, Wall Caps, Circles
Uses	Used for outdoor and indoor for walling and flooring
Special Remarks	For Special sizes please contact



YELLOW
LIMESTONE PAVING


BLACK LIMESTONE PAVING



BLACK LIMESTONE PAVING

Black limestone

Tile Details	
Edges	Handcut, M/c
Finish	Vandana, Leather, Cotton, Buffed
Sizes	30×30, 30×60, 60×60, 60×90 cm (1*1 ft, 1*2 ft, 2*2 ft, 2*3 ft)
Thickness	22 mm Calibrated / 25 to 30 mm Non-Calibrated
Tiles Pattern	Patio Packs, Small Opus (French) Pattern, Big Opus (Roman) Pattern
Slab Details	
Finish	Vandana, Leather, Cotton, Buffed
Sizes	180×60 cm & Up
Thickness	22 mm Calibrated / 25 to 30 mm Non-Calibrated
Other Shapes	Blocks, Bricks, Steps, Pool Coping, Wall Caps, Circles
Uses	Used for outdoor and indoor for walling and flooring
Special Remarks	For Special sizes please contact



BLACK LIMESTONE PAVING

ASH GREY LIMESTONE PAVING



Satin



Matte



Leather

ASH GREY
LIMESTONE PAVING

Ash Grey limestone

Tile Details	
Edges	Handcut, M/c
Finish	Natural, Matte, Leather, Satin
Sizes	30×30, 30×60, 60×60, 60×90 cm (1*1 ft, 1*2 ft, 2*2 ft, 2*3 ft)
Thickness	22 mm Calibrated / 25 to 30 mm Non-Calibrated
Tiles Pattern	Patio Packs, Small Opus (French) Pattern, Big Opus (Roman) Pattern
Slab Details	
Finish	Natural, Matte, Leather, Satin
Sizes	180×60 cm & Up
Thickness	22 mm Calibrated / 25 to 30 mm Non-Calibrated
Other Shapes	Blocks, Bricks, Steps, Pool Coping, Wall Caps, Circles
Uses	Used for outdoor and indoor for walling and flooring
Special Remarks	For Special sizes please contact




ASH GREY LIMESTONE PAVING

NATURAL CRAZY STONE PAVING




CRAZY MINT

Soft beige and mint tones create a bright, timeless surface for patios, pathways and courtyards.



CRAZY BLACK

Deep charcoal shades deliver a bold, contemporary finish with exceptional natural character.



CRAZY RED

Warm earthy red tones bring rustic depth and lasting charm to outdoor landscapes.

Irregular Natural Stone • Unique Texture • Durable Outdoor Application

Ebony
Black
Cobbles



Black
Limestone
Cobbles


Rose Red
Sanstone
Cobbles



Granite
Flamed
Cobbles

COBBLESTONES

SANDSTONE COBBLES



Feature	Specification
Material	Natural Sandstone
Surface Finish	Natural Split, Tumbled, Antique
Edge Finish	Handcut, Machine cut
Standard Sizes	4x4", 6x6", 8x8", 4x8"
Thickness	40-50mm, 60-80mm, 80-100 mm
Custom Sizes	Available
Water Absorption	1-3%
Compressive Strength	70-120 MPa
Density	2.2-2.5 g/cm ³
Slip Resistance	Excellent
Frost Resistance	Good
Applications	Patios, Pathways, Landscapes, Courtyards, Gardens

SAGAR BLACK COBBLESTONE


Feature	Specification
Material	Natural Sandstone
Surface Finish	Natural Split, Tumbled, Antique
Edge Finish	Handcut
Standard Sizes	4×4", 6×6", 8×8", 4×8"
Thickness	40-50mm, 60-80mm, 80-100 mm
Custom Sizes	Available
Water Absorption	1–3%
Compressive Strength	70–120 MPa
Density	2.2–2.5 g/cm ³
Slip Resistance	Excellent
Frost Resistance	Good
Applications	Patios, Pathways, Landscapes, Courtyards, Gardens



RED COBBLESTONE

SANDSTONE COBBLES


SANDSTONE COBBLES



Feature	Specification
Material	Natural Sandstone
Surface Finish	Natural Split, Tumbled, Antique
Edge Finish	Handcut
Standard Sizes	4x4", 6x6", 8x8"
Thickness	40-50mm, 60-80mm, 80-100 mm
Custom Sizes	Available
Water Absorption	1-3%
Compressive Strength	70-120 MPa
Density	2.2-2.5 g/cm ³
Slip Resistance	Excellent
Frost Resistance	Good
Applications	Patios, Pathways, Landscapes, Courtyards, Gardens

GOLDEN YELLOW COBBLESTONE

Feature	Specification
Material	Natural Sandstone
Surface Finish	Natural Split, Tumbled, Antique
Edge Finish	Handcut
Standard Sizes	4×4", 6×6", 8×8"
Thickness	40-50mm, 60-80mm, 80-100 mm
Custom Sizes	Available
Water Absorption	1–3%
Compressive Strength	70–120 MPa
Density	2.2–2.5 g/cm ³
Slip Resistance	Excellent
Frost Resistance	Good
Applications	Patios, Pathways, Landscapes, Courtyards, Gardens



BRITISH GREY COBBLESTONE

SANDSTONE COBBLES

LIMESTONE COBBLES



Feature	Specification
Material	Natural Limestone
Surface Finish	Natural Split, Tumbled
Edge Finish	Handcut /machine cut
Standard Sizes	4x4", 6x6", 8x8"
Thickness	40-50mm
Custom Sizes	Available
Water Absorption	1-4%
Compressive Strength	80-150MPa
Density	2.3-2.6 g/cm ³
Slip Resistance	Excellent
Frost Resistance	Good
Applications	Patios, Landscapes, Courtyards, Gardens

SUPER BLACK COBBLESTONE


Feature	Specification
Material	Natural Limestone
Surface Finish	Natural Split, Tumbled
Edge Finish	Handcut /machine cut
Standard Sizes	4×4", 6×6", 8×8"
Thickness	40-50mm
Custom Sizes	Available
Water Absorption	1–4%
Compressive Strength	80–150MPa
Density	2.3–2.6 g/cm ³
Slip Resistance	Excellent
Frost Resistance	Good
Applications	Patios, Landscapes, Courtyards, Gardens

GREY COBBLESTONE



LIMESTONE COBBLES

LIMESTONE COBBLES



Feature	Specification
Material	Natural Limestone
Surface Finish	Natural Split, Tumbled
Edge Finish	Handcut /machine cut
Standard Sizes	4x4", 6x6", 8x8"
Thickness	40-50mm
Custom Sizes	Available
Water Absorption	1-4%
Compressive Strength	80-150MPa
Density	2.3-2.6 g/cm ³
Slip Resistance	Excellent
Frost Resistance	Good
Applications	Patios, Landscapes, Courtyards, Gardens

YELLOW COBBLESTONE

Feature	Specification
Material	Natural Limestone
Surface Finish	Natural Split, Tumbled
Edge Finish	Handcut /machine cut
Standard Sizes	4x4", 6x6", 8x8"
Thickness	40-50mm
Custom Sizes	Available
Water Absorption	1-4%
Compressive Strength	80-150MPa
Density	2.3-2.6 g/cm ³
Slip Resistance	Excellent
Frost Resistance	Good
Applications	Patios, Landscapes, Courtyards, Gardens




LIMESTONE COBBLES



RAJASTHAN
BLACK
COBBLESTONE

BASALT COBBLES



Feature	Specification
Material	Natural Basalt
Surface Finish	Rock Split, Bush Hammered,Leather-ed,Polished
Edge Finish	Handcut /machine cut
Standard Sizes	4x4", 6x6", 8x8"
Thickness	50-80mm, 80-100mm
Custom Sizes	Available
Water Absorption	<1%
Compressive Strength	180–300MPa
Density	2.8–3.0 g/cm ³
Slip Resistance	Excellent
Frost Resistance	Good
Applications	Heavy Traffic Area, Commercial Landscaping

BASALT COBBLESTONE

GRANITE COBBLES,



GRANITE COBBLES



Feature	Specification
Material	Natural Granite
Surface Finish	Natural Split, Flamed, Bush Hammered
Edge Finish	Handcut
Standard Sizes	4x4", 6x6", 8x8"
Thickness	40-50mm, 60-80mm, 80-100 mm
Custom Sizes	Available
Water Absorption	<0.5%
Compressive Strength	180–250 MPa
Density	2.6–2.8 g/cm ³
Slip Resistance	Excellent
Frost Resistance	Excellent
Applications	Roads, Driveways, Commercial Projects, Public Areas

BLACK GRANITE COBBLESTONE

Feature	Specification
Material	Natural Granite
Surface Finish	Natural Split, Flamed, Bush Hammered
Edge Finish	Handcut
Standard Sizes	4x4", 6x6", 8x8"
Thickness	40-50mm, 60-80mm, 80-100 mm
Custom Sizes	Available
Water Absorption	<0.5%
Compressive Strength	180-250 MPa
Density	2.6-2.8 g/cm ³
Slip Resistance	Excellent
Frost Resistance	Excellent
Applications	Roads, Driveways, Commercial Projects, Public Areas

RED/YELLOW
GRANITE
COBBLESTONE



GRANITE COBBLES

Feature	Specification
Material	Natural Granite
Surface Finish	Natural Split, Flamed, Bush Hammered
Edge Finish	Handcut
Standard Sizes	4x4", 6x6", 8x8"
Thickness	40-50mm, 60-80mm, 80-100 mm
Custom Sizes	Available
Water Absorption	<0.5%
Compressive Strength	180–250 MPa
Density	2.6–2.8 g/cm ³
Slip Resistance	Excellent
Frost Resistance	Excellent
Applications	Roads, Driveways, Commercial Projects, Public Areas

GREY GRANITE COBBLESTONE



GRANITE COBBLES



CONTACT US



+91-6232003130 SALES TEAM
+91-9425614775 ADISH JAIN(SALES HEAD)



sales.jkstonesgroup@gmail.com
adish.salesheadjkstones@gmail.com



jk_stone__



www.jkstones.in



Head Office: J.K Stones, 24, Bhanpur main road, near Bhanpur Jain Temple, Bhopal, Madhya Pradesh (462037), India
Head Plant: J.K Stones, near New Bus Stand, Bareth road, Ganj Basoda, Madhya Pradesh (464221), India

